

Assembly, Operating & Maintenance Instructions

Remove all items from the carton. Verify all pieces before assembly.


buroseating
ergonomics at work®

BURO LINDIS 4 LEG CHAIR - MESH BACK

STEP 1.


ATTENTION:

Screw-in Seat Screws not yet tighten.



STEP 2.


Attach the Back (6) onto the rear legs of the chair frame as shown. Ensure the Back is firmly secured onto the rear legs and the pre-drilled screw holes in the rear tube legs and back line up.




STEP 3.

ATTENTION:

Position the Seat Plastic Cover (3) over the seat frame, aligning 4 connectors. Push hard directly over each of the 4 connectors until you hear a click to indicate that the seat cover is locked into place.




STEP 4.



Using a soft headed mallet carefully but firmly apply only enough force to fully insert the arms (8) into the rear and front legs as shown. Take special note the arms can only fit properly the right way round - refer diagram below of assembled arms.

STEP 5.



Using the appropriate size " phillips" head screw driver (PH2) insert and firmly tighten the 4 x Arm Screws (9)

PART LIST

KEY	QTY	DESCRIPTION
1	2	Sled Base
2	1	Seat Cushion
3	4	Seat Screw (Long) +Washer
4	2	Steel Bar
5	1	Allen Wrench
6	1	Back
7	1	Plastic Seat Cover
8	2	Arm
9	4	Arm Screw (Short)

CARE & MAINTENANCE

GENERAL CARE

To maintain the appearance of non-upholstered parts wipe the surface with a clean cloth dampened with a mild detergent solution.

Do not remove any parts for separate cleaning.

Do not saturate the fabric or Interlor with water or other cleaning liquids.

Do not shampoo clean.

Do not clean with hot water extraction machine.

Do not clean with onsite drycleaning machine.

Protect from direct sunlight, heat and weather.

FABRIC UPHOLSTERY CARE

Wipe with a clean cloth dampened with a mild upholstery detergent solution.

A soft bristle brush may be used to remove ingrained soil. Spot clean as above.

Treat spills and stains as soon as possible. Persistent stains may require treatment by a professional cleaner.

May be cleaned with dry powder cleaners.

Allow to dry thoroughly before reuse.

FOAM & UPHOLSTERY SPECS*


FOAM

Flame Resistance: Ca117 Section A Part I & Section D Part II

UPHOLSTERY


Flame Resistance: Ca117 Section E Class I

*This applies only to standard Buro stock. Any customer specified upholstery may not meet these specifications.



Important: Chair Maintenance Instructions

From time to time, check to make sure the screws are securely tightened. Holes on PP shell are for convenient checking.



PREVENTATIVE MAINTENANCE & WARNING!

- Use this product only for seating one person at a time.
- Do not use this chair as a step stool / ladder.
- Do not sit on any part of the chair except the seat.
- Do not use this chair on uneven floor surfaces.
- Do not interfere with the operating of the gas lift.
- Do not use chair unless all bolts, screws and knobs are tight. At least every six months check all bolts, screws and knobs to ensure they are tight.

- If any parts are missing, broken, damaged or worn do not use the product until repairs are made using factory authorised parts.
- Dispose of packaging properly.
- Plastic bag is not a toy.
- Do not use plastic bag as a head covering as it may cause suffocation.
- Failure to follow these warnings could result in serious injury.