

Buro Image.

Buro Seating by



buroseating.com

Buro Image. A versatile chair to suit your needs.

The Buro Image is a commercial task or home office chair with multiple applications to suit your working preferences.

Key Features & Benefits.



buroseating

Features.

Specifications. (mm)

	0	
 Height adjustable back/lumbar 	Overall	600w / 590d / 870h
 AFRDI certified polyurethane moulded foam 	Back	430w / 410h
 AFRDI certified 60mm twin wheel castors 	Seat	470w / 470d
 Depth adjustable back 	Seat Height	450-580h
		605-875h (with optional architectural gas
		lift)

Custom Options.	Carton Dimensions.	
Soft PU castors (CE1121P)	Width	610
 Polished aluminium base (PC068) 	Height	310
 Architectural 270mm gas lift (111-6) 	Length	600
 Height adjustable reflective black powder coat foot ring (110-4) 	Weight	13.4 kg
 Height and width adjustable arms (180-1) 		

Customer specified fabric

Upholstery.



Quality Assurance and Accreditations.




¹10 Yr Guarantee: Excludes upholstery. ²2 Yr Jett Fabric Guarantee: Conditions apply, see buroseating.com. ³AFRDI Standard Includes AFRDI Level 6 - Severe Commercial Certified Components. ⁴Fabric: Same day dispatch. ⁶Fabric: 3-5 working day lead time. ⁶Fabric: For custom fabric ETA's can be supplied on request. General: Guarantee conditions apply, please see buroseating.com. For indent purchases (non stock orders) conditions may apply, please see buroseating.com for definitions & conditions. In the interests of product development. Buro reserves the right to alter product specifications & features without notice.



Buro Product Stewardship Programme.

We encourage repurposing and recycling of pre-loved office furniture to reduce our impact on the environment. When a customer has Buro furniture^{*} that they wish to dispose of, we apply the following steps to determine the most appropriate method.



[•]Qualifying furniture must be Buro branded product (Buro Seating, Konfurb, Mondo), or a partner exclusive brand. [•]Many of our products are GREENGUARD certified for safe emission levels. This reduces the environmental impact when sending any components to landfill.